## **Binge Drinking (Adults)**

# Binge Drinking (Adults)

•Most recent data (2014): 20% or about 301,400 King County adults age 18+.

•Trend over time: 2005-14: rising

•Description: Consumed 5+ drinks for men or 4+ drinks for women on one occasion

•Healthy People 2020 Goal: 24% or lower

### Binge drinking (adults), King County, 2010-2014 average

	Percent	Lower Cl	Upper CI
King County (adults age 18+)	20	19	21
AGE	•	,	'
18-24	30	26	34
25-44	28	26	30
45-64	14	13	16
65+	5	4	6
GENDER	·		
Male	25	23	26
Female	15	14	17
RACE/ETHNICITY	·		
AIAN	20	13	29
Asian	10	8	13
Black	15	11	20
Hispanic	18	14	21
Multiple	24	18	31
NHPI	29	17	45
White	22	21	23
HOUSEHOLD INCOME			
<\$15,000	24	20	29
\$15,000 to \$24,999	21	17	24
\$25,000 to \$34,999	21	17	25
\$35,000 to \$49,999	19	16	22
\$50,000 to \$74,999	20	18	23
\$75,000+	22	20	23
REGION	*		
East	16	14	18
North	16	13	20
Seattle	26	24	28
South	17	16	19
STATE			
Washington State	17	17	18

## Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

#### Notes

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

 $^{\star}$  Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

## Binge drinking (adults) King County, 2010-2014 average



§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

|-----| Confidence interval shows range that includes true value 95% of the time.

\* Too few cases to protect confidentiality and/or report reliable rates. Too few cases to protect confidentiality and/or report reliable rates.

## Binge drinking (adults) by health reporting areas, King County, 2010-2014 average

	Percent	Lower Cl	Upper Cl
King County (adults age 18+)	20	19	21
Auburn	16	12	22
Auburn-North	19	13	27
Auburn-South	13	7	22
Bear Creek/Camation/Duvall	19	14	26
Bellevue	14	11	17
Bellewe-Central	12	7	18
Bellewe-NE	12	7	19
Bellevue-South	17	11	26
Bellewe-West	16	10	25
Black Diamond/Enumclaw/SE County	22	16	31
Bothell/Woodinville	13 §	7 \$	23 §
Burien	18	13	24 27
Covington/Maple Valley	21	16	
Des Moines/Normandy Park	22	16	31
East Federal Way	18	11	27
Fairwood	19	12	30
Federal Way	19	14	25
Fed Way-Central/Military Rd	20	14	29
Fed Way-Dash Point/Woodmont	17	11	26
Issaquah	13	8	20
Kenmore/LFP	16	11	23
Kent	13	10	17
Kent-East	12	7	21
Kent-SE	15	10	20
Kent-West	10	6	17
Kirkland	19	15	24
Kirkland	22	16	29
Kirkland North	15	10	21
Mercer Isle/Pt Cities	14	9	21
Newcastle/Four Creeks	10	7	16
North Highline	14 §	7 \$	28 §
Redmond	13	8	20
Renton	16	12	20
Renton-East	13	8	21
Renton-North	16	10	26
Renton-South	16	11	24
Sammamish	14	9	23
SeaTac/Tukwila	21	14	29
Seattle	26	24	28
Ballard	31	25	37
Beacon/Gtown/S.Park	18	12	26
Capitol Hill/E.lake	29	23	37
Central Seattle	26	19	35
Delridge	25	17	35
Downtown	33	26	42
Fremont/Greenlake	32	25	39
NE Seattle	29	23	36
North Seattle	20	15	26
NW Seattle	19	14	26
QA/Magnolia	35	28	43
SE Seattle	14	9	22
	20		
West Seattle		16	26
Shoreline	18	14	24
Snoqualmie/North Bend/Skykomish	19	13	26
Vashon Island	20	12	31

## Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

#### Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


Cl is 95% Confidence Interval.

 $^{\star}$  Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.


## Binge drinking (adults) by health reporting areas King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

# Binge drinking (adults) King County, 2005-2014, three-year rolling averages



Trends over time: King County (2005-14: rising); East KC (2005-14: flat); North KC (2005-14: flat); Seattle (2005-14: rising); South KC (2005-14: flat); Washington State (2005-14: rising) Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the <u>Assessment, Policy Development & Evaluation Unit</u> <u>Public Health - Seattle & King County</u> 07/16

